

## Searches for 09/692,949

### IEEE Searches

snmp <near/8> xml

network <near/4> (monitor\* or manag\* or configur\*) <near/6> xml

(monitor\* or manag\* or configur\* or poll\* or control\*) <near/5> (router or bridge or switch or hub or "network device" or node) <near/5> xml

(monitor\* or manage\* or configur\*) and <near/10> (switch or router or bridge or hub or gateway or node) <near/10> (html or markup or xml)

qos <near/10> xml

### ProQuest Search

snmp w/6 xml

network w/6 (monitor? or manag? or configur?) w/6 xml

managexml

(monitor? or manag? or configur? or poll? or control?) w/5 (router or bridge or switch or hub or "network device" or node) and xml

oplet

snmp and xml and (manag? or monitor? or configur?)

### Google.com

managexml

xml snmp monitor router

xml snmp monitor router api

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	<b>L1</b>	<b>139</b>	<b>(receiv\$4 or retriev\$4) near5 (dtd or document near3 definition) with (document or identifier)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>2</b>	<b>L2</b>	<b>76</b>	<b>1 and xml</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>3</b>	<b>L3</b>	<b>15</b>	<b>2 and (@ad&lt;20001020 or @prad&lt;20001020)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>4</b>	<b>L4</b>	<b>97</b>	<b>(select\$4 or choos\$4) near5 (dtd or document near3 definition) with (document or identifier)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>5</b>	<b>L5</b>	<b>101</b>	<b>(select\$4 or choos\$4) near5 (dtd or document near3 definition) with (document or identifier or id or identification)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>6</b>	<b>L6</b>	<b>34</b>	<b>5 and xml</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>7</b>	<b>L7</b>	<b>10</b>	<b>(select\$4 or choos\$4) near5 (dtd or document near3 definition) with (document or identifier or id or identification) with (based or according or depending)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>8</b>	<b>L8</b>	<b>19</b>	<b>(6 7) and (@ad&lt;20001020 or @prad&lt;20001020)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>9</b>	<b>L9</b>	<b>7</b>	<b>(select\$4 or choos\$4) with (dtd or document near3 definition) with (document near5 (id or identity or identification or identifier))</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>10</b>	<b>L10</b>	<b>301</b>	<b>snmp and packet near3 forward\$3 with (switch or router)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>11</b>	<b>L11</b>	<b>166</b>	<b>10 and (@ad&lt;20001020 or @prad&lt;20001020)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>12</b>	<b>L12</b>	<b>20</b>	<b>(snmp or xml) same (packet near3 forward\$3 with (switch or router))</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>13</b>	<b>L13</b>	<b>8</b>	<b>12 and (@ad&lt;20001020 or @prad&lt;20001020)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>14</b>	<b>L14</b>	<b>24</b>	<b>oplet</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>15</b>	<b>L15</b>	<b>13</b>	<b>14 and (@ad&lt;20001020 or @prad&lt;20001020)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>16</b>	<b>L16</b>	<b>192</b>	<b>stor\$3 near4 (dtd or document adj type adj definition)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>17</b>	<b>L17</b>	<b>98</b>	<b>(select\$3 or choos\$3 or chosen) near6 (dtd or document adj type adj definition)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>18</b>	<b>L18</b>	<b>40</b>	<b>16 and 17</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>19</b>	<b>L19</b>	<b>26</b>	<b>18 and (@ad&lt;20001020 or @prad&lt;20001020)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	<b>L1</b>	<b>4068</b>	<b>709/223,224.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>2</b>	<b>L2</b>	<b>360</b>	<b>1 and xml</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>3</b>	<b>L3</b>	<b>58</b>	<b>2 and (@ad&lt;20001020 or @prad&lt;20001020)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>4</b>	<b>L4</b>	<b>46</b>	<b>xml near5 snmp</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>5</b>	<b>L5</b>	<b>70</b>	<b>network near4 (monitor\$4 or manag\$5 or configur\$5) near6 xml</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>6</b>	<b>L6</b>	<b>49</b>	<b>(monitor\$3 or manag\$5 or configur\$5 or poll\$3 or control\$4) near5 (router or bridge or switch or hub or network adj device or node) near5 xml</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>7</b>	<b>L7</b>	<b>12</b>	<b>query\$3 near4 (switch or router or bridge or hub or gateway or node) near4 xml</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>8</b>	<b>L8</b>	<b>16</b>	<b>(4 5 6 7) and (@ad&lt;20001020 or @prad&lt;20001020)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>9</b>	<b>L9</b>	<b>3</b>	<b>qos with xml</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	<b>L2</b>	<b>0</b>	<b>keith.in. and vanderveen.in.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>2</b>	<b>L3</b>	<b>0</b>	<b>(john adj ajita).in.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>3</b>	<b>L1</b>	<b>11</b>	<b>binay.in. and sugla.in.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>4</b>	<b>L4</b>	<b>10033</b>	<b>xml</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>5</b>	<b>L5</b>	<b>2198</b>	<b>xml and (@ad&lt;20001020 or @prad&lt;20001020)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>6</b>	<b>L6</b>	<b>297</b>	<b>5 and xml with (manag\$5 or monitor\$3 or configur\$5 or query\$3 or poll\$3)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>7</b>	<b>L7</b>	<b>111</b>	<b>5 and xml with (manag\$5 or monitor\$3 or configur\$5 or query\$3 or poll\$3).ti,ab,clm.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>8</b>	<b>L8</b>	<b>52</b>	<b>7 and xml with document</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>9</b>	<b>L9</b>	<b>18</b>	<b>8 and dtd</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>10</b>	<b>L10</b>	<b>1</b>	<b>xml with snmp with (instead or replac\$5 or alternat\$3 or place or rather)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>11</b>	<b>L11</b>	<b>73</b>	<b>(monitor\$3 or manag\$5 or configur\$5 or poll\$3 or control\$4) near5 (element) near5 xml</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>12</b>	<b>L12</b>	<b>10</b>	<b>query\$3 near4 (element) near4 xml</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>13</b>	<b>L13</b>	<b>16</b>	<b>(11 or 12) and (@ad&lt;20001020 or @prad&lt;20001020)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>14</b>	<b>L14</b>	<b>541</b>	<b>(monitor\$3 or manag\$5 or configur\$5 or poll\$3 or control\$4) with (router or bridge or switch or hub or device or element or node) with xml</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>15</b>	<b>L15</b>	<b>83</b>	<b>(14) and (@ad&lt;20001020 or @prad&lt;20001020)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	<b>L2</b>	<b>30</b>	<b>(monitor\$3 or manag\$5 or configur\$5 or poll\$3 or control\$4) near5 (router or bridge or switch or hub or network adj device or node) near5 xml and @pd&gt;20030916</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>2</b>	<b>L4</b>	<b>2</b>	<b>2 and (@ad&lt;20001020 or @prad&lt;20001020)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>3</b>	<b>L1</b>	<b>23</b>	<b>(709/223,224.ccls. and xml) and (@ad&lt;20001020 or @prad&lt;20001020) and @pd&gt;20030916</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>4</b>	<b>L5</b>	<b>6</b>	<b>"6546419"</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>5</b>	<b>L6</b>	<b>16</b>	<b>humpleman.in. and xml</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>6</b>	<b>L7</b>	<b>3</b>	<b>6 and router</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>7</b>	<b>L8</b>	<b>23</b>	<b>(manag\$4 or control\$4 or configur\$4) near5 (forwarding) near5 (router or switch) with (remote\$2 or server)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>8</b>	<b>L9</b>	<b>14</b>	<b>8 and (@ad&lt;20001020 or @prad&lt;20001020)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>9</b>	<b>L10</b>	<b>17809</b>	<b>(manag\$4 or control\$4 or configur\$4) near5 (router or switch) near5 (remote\$2 or server)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>10</b>	<b>L11</b>	<b>58</b>	<b>10 and forwarding near2 service</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>11</b>	<b>L12</b>	<b>30</b>	<b>11 and (@ad&lt;20001020 or @prad&lt;20001020)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>12</b>	<b>L13</b>	<b>2351</b>	<b>((manag\$4 or control\$4 or configur\$4) near5 (router or switch) near5 (remote\$2 or server)).ti.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>13</b>	<b>L14</b>	<b>1</b>	<b>13 and 709/220,223,224.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>14</b>	<b>L15</b>	<b>7288</b>	<b>((manag\$4 or control\$4 or configur\$4) near5 (router or switch) near5 (remote\$2 or server)).ti,ab.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>15</b>	<b>L16</b>	<b>33</b>	<b>15 and 709/\$.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>16</b>	<b>L17</b>	<b>13</b>	<b>16 and (@ad&lt;20001020 or @prad&lt;20001020)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>17</b>	<b>L18</b>	<b>22</b>	<b>((manag\$4 or control\$4 or configur\$4) near5 (router) near5 (remote\$2 or server)).ti.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>18</b>	<b>L19</b>	<b>16</b>	<b>18 and (@ad&lt;20001020 or @prad&lt;20001020)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>19</b>	<b>L20</b>	<b>218</b>	<b>((manag\$4 or control\$4 or configur\$4) near5 (router) near5 (remote\$2 or server)).ab,clm.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>20</b>	<b>L21</b>	<b>16</b>	<b>20 same forward\$3</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>21</b>	<b>L22</b>	<b>101</b>	<b>20 and (@ad&lt;20001020 or @prad&lt;20001020)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>22</b>	<b>L23</b>	<b>9</b>	<b>21 and (@ad&lt;20001020 or @prad&lt;20001020)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>23</b>	<b>L24</b>	<b>149</b>	<b>((manag\$4 or control\$4 or configur\$4) near5 (router or switch) near5 (forward\$3 or mib)).ti.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>24</b>	<b>L25</b>	<b>4638</b>	<b>((manag\$4 or control\$4 or configur\$4) near5 (router or switch) near5 (forward\$3 or mib))</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>25</b>	<b>L26</b>	<b>356</b>	<b>((manag\$4 or control\$4 or configur\$4) near5 (router) near5 (forward\$3 or mib))</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>26</b>	<b>L27</b>	<b>24</b>	<b>((manag\$4 or control\$4 or configur\$4) near5 (rout\$5)).ti. and 26</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>27</b>	<b>L28</b>	<b>14</b>	<b>27 and (@ad&lt;20001020 or @prad&lt;20001020)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>28</b>	<b>L29</b>	<b>4549</b>	<b>((manag\$4 or control\$4 or configur\$4) near5 (router or routing)) and (forward\$4 or mib) with (router or routing)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>29</b>	<b>L30</b>	<b>1148</b>	<b>((manag\$4 or control\$4 or configur\$4) near5 (router or routing)) with (forward\$4 or mib)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>30</b>	<b>L31</b>	<b>91</b>	<b>30 and (rmon or mib)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>31</b>	<b>L32</b>	<b>47</b>	<b>31 and (@ad&lt;20001020 or @prad&lt;20001020)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>32</b>	<b>L33</b>	<b>19</b>	<b>xml with configur\$5 with router</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>